STANCH
昱龍不銹鋼股份有限公司

STANCH STAINLESS STEEL CO., LTD.
昱龍不銹鋼股份有限公司
Add / No.51, Ching 1st Road, Taichung Port Technology Industrial Park,
Wuchi District, Taichung City 435059, Taiwan R.O.C.
Tel / +886-4-2659-5203 Fax / +886-4-2659-5096
E-mail / info@stanch.com.tw

WWW.STANCH.COM

MILESTONE

1980

Stanch Stainless Steel Co., Ltd. was established with capital NT$ 1,000,000 in Taichung

1984

Installed Oil Abrasive Polishing Machine with the capacity of 1,500 MT/month and introduced HL technology
Installed 4' Shearing Machine with the capacity of 1,000 MT/month

1993

Introduced Japanese Super Mirror Polishing Machines with the capacity of 100 MT/month

1995

Applied Corporate Identity System (CIS)

1996

Increased capital to NT$ 80,000,000

1997

Certified ISO 9002 by Germany TÜV

1999

Installed Vertical PVD Titanium Coating Machine with the capacity of 20 MT/month

2001

Awarded "The 4th Rising Star Award" from Ministry of Economic Affairs R.O.C.

2003

Installed Japanese High Speed Leveling and Fly Shearing Machine, the capacity reached to 3,000 MT/month

2005

Moved to Taichung Chung-Kang Export Processing Zone
Installed 800mm and 5' High Speed Fly Shearing Machine, the capacity reached to 5,000 MT/month
Installed 630mm and 1600mm Slitting Machine with the capacity of 8,000 MT/month
Installed over 10 mirror polishing lines. The capacity reached to 1,000 MT/month

2007

Introduced TPM & TQM system

2008

Awarded "The Award for International Trade" and got fourth place in the exports growth rate in Taiwan
Installed 1600mm Both Sides Polishing Machine. The capacity reached to 5,000 MT/month

2009

Maximized the production capacity to 7,500 MT/month by introducing TPM system

2010

Awarded "Golden Merchants Award" by Taiwan President
Certified ISO 9001:2008 by Germany TÜV
Installed 1600mm Slitting and Fly Shearing Machine. The capacity reached to 7,000 MT/month

2011

Certified ISO 14064:2006 (Greenhouse Gas Verification Statement) by SGS

2013



Installed 1600mm Plate Polishing Machine, the production capacity reached to 5,500 MT/month
Installed Horizontal PVD Titanium Coating Machine, the capacity reached to 60 MT/month

2016

Installed one more PVD Titanium Coating Machine, the capacity reached to 100 MT/month

2017

Awarded "DNB TOP 1000 Award" by D-U-N-S
Installed 1600mm High Precision Slitting and Fly Shearing Machine. The capacity reached to 8,000 MT/month
Installed Embossing Machine with the capacity of 500 MT/month

2020

Installed new mirror polishing line, the capacity reached to 1,800 MT/month

2021

Installed Anti-Fingerprint Coating Machine
Installed Vertical Profiled Material PVD Titanium Coating Machine

2022

Upgraded Bead Blasting Machine
Upgraded Oil Abrasive Polishing Machine

Application

Architecture



Decoration





Kitchenware

Bathroomware





Automotive Industry

Service

SLITTING

■ 1600mm SLITTING MACHINE
Thickness: 0.3mm - 4.0mm/Width: 25mm - 1600mm

■ 630mm SLITTING MACHINE
Thickness: 0.3mm - 3.0mm / Width: 10mm - 630mm

POLISHING

■ 1600mm BOTH SIDES POLISHING MACHINE (DRY POLISH)
Thickness: 0.3mm - 3.0mm / Width: UP to 1600mm
COIL TO COIL Finish: No.3/No.4/No.5/No.6/SB

■ 1600mm OIL ABRASIVE POLISHING MACHINE (WET POLISH)
Thickness: 0.3mm - 3.0mm / Width: UP to 1600mm
COIL TO COIL Finish: No.3/No.4/No.5/No.6/HL/SB

■ 1600mm PLATE POLISHING MACHINE (DRY POLISH)
Thickness: 0.3mm -25mm / Width: UP to 1600mm/Length: UP to 6100mm
SHEET TO SHEET Finish: No.3/No.4/No.5/No.6

LEVELING & CUT TO LENGTH

■ JAPANESE HIGH SPEED LEVELING & FLY SHEARING MACHINE
Thickness: 0.3mm - 2.0mm
Width: 320mm - 1250mm Length: 350mm - 6000mm

■ 1600mm HIGH PRECISION SLITTING & FLY SHEARING MACHINE
Thickness: 0.3mm - 3.5mm
Width: 320mm - 1524mm Length: 450mm - 6000mm

■ 800MM HIGH SPEED FLY SHEARING MACHINE
Thickness: 0.3mm - 1.5mm
Width: 100mm - 800mm Length: 200mm - 2000mm

MIRROR POLISHING

■ JAPANESE SUPER MIRROR POLISHING MACHINE
Thickness: 0.3 - 6.0mm
Width: UP to 1524mm
Length: UP to 6000mm

PVD COLOR COATING

■ PVD TITANIUM COATING MACHINE
Thickness: UP to 6.0mm
Width: UP to 1524mm Length: UP to 4000mm
Color availability: Champagne, Gold, Coffee, Copper, Black, Carbon Black

DECORATIVE SHEET

■ VIBRATION

■ ETCHED

■ EMBOSSED

■ BEAD BLASTED

■ CD OVERLAY

■ ANTI-FINGERPRINT COATING

Products
STANCH STAINLESS STEEL

PVD Color Coating



Coils+Sheets
Service Center, Taiwan

Polished Finish



Hairline

Scotch Brite



Vibration



Super Mirror (No .8)

Bead Blasted

Starlight



Linen

CD Overlay



Etched Finish



Checker

Perforated



Specification

Grade	Type	Finish	Thickness	750	914	1000	1219	1250	1500	1524
304 / 304L	COIL/SHEET	No.1	2.0~25.0			○	●	○	○	●
		2B	0.3~6.0	●	●	●	●	●	●	●
		BA	0.3~2.0	○	○	●	●	●		
		Polished Finish (No.4)	0.4~6.0	●	●	●	●	●	●	●
		Hairline	0.4~3.0	●	●	●	●	●	●	●
		Scotch Brite	0.4~3.0	●	●	●	●	●	●	●
	SHEET	No.8	0.3~6.0	○	○	●	●	●	●	●
		PVD	0.3~6.0	○	○	●	●	●	●	●
		Bead Blasted	0.8~6.0	○	○	●	●	●	○	○
		Vibration	0.5~3.0	●	●	●	●	●	●	●
		CD Overlay	0.5~3.0	○	○	●	●	●	○	○
		Starlight	0.5~2.0	○	○	○	●	●		
		Linen	0.5~2.0	○	○	○	●	●		
		Etched	0.3~6.0	○	○	○	●	○	○	○
316L	COIL/SHEET	No.1	2.0~25.0			○	●	○	○	●
		2B	0.5~3.0	○	○	●	●	●	●	●
		BA	0.5~2.0			○	●	●		
		Polished Finish (No.4)	0.5~3.0	○	○	●	●	●	●	●
		Hairline	0.5~3.0	○	○	●	●	●	●	●
		Scotch Brite	0.5~3.0	○	○	●	●	●	●	●
	SHEET	No.8	0.5~6.0			○	●	●	●	●
		PVD	0.5~6.0	○	○	●	●	●	●	●
		Bead Blasted	0.8~6.0			○	●	●	○	○
		Vibration	0.5~3.0	○	○	●	●	●	●	●
		CD Overlay	0.5~3.0			○	●	●	○	○
		Starlight	0.5~2.0			○	●	●		
		Linen	0.5~2.0			○	●	●		
		Etched	0.5~6.0	○	○	○	●	○	○	○
430	COIL/SHEET	2B	0.3~3.0	●	●	●	●	●	●	●
		BA	0.3~2.0	○	○	●	●	●		
		Polished Finish (No.4)	0.4~3.0	●	●	●	●	●	●	●
		Hairline	0.4~3.0	●	●	●	●	●	●	●
		Scotch Brite	0.4~3.0	●	●	●	●	●	●	●
	SHEET	PVD	0.3~3.0	○	○	●	●	●	●	●
		Bead Blasted	0.8~3.0	○	○	●	●	●	○	○
		Vibration	0.5~3.0	●	●	●	●	●	●	●
		CD Overlay	0.5~3.0	○	○	●	●	●	○	○
		Starlight	0.5~2.0	○	○	○	●	●		
		Linen	0.5~2.0	○	○	○	●	●		
		Etched	0.3~3.0	○	○	○	●	○	○	○
441	COIL/SHEET	2B	0.3~3.0	○	○	○	○	○	○	○
		Polished Finish (No.4)	0.4~3.0	○	○	○	○	○	○	○
		Hairline	0.4~3.0	○	○	○	○	○	○	○
		Scotch Brite	0.4~3.0	○	○	○	○	○	○	○

● Regular stock ○ Available upon request